

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	535	cache same (remov\$3 or delet\$3) same (source or orgin or (content adj server))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 12:07
L2	8	cache same (remov\$3 or delet\$3) same (source or orgin or (content adj server)) near5 (available)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 12:19
L3	0	cache same (remov\$3 or delet\$3) same (source or orgin or (content adj server)) near5 (unavailable)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:56
L4	18	cache same (remov\$3 or delet\$3) near10 (unavailable)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 12:19
L6	837	cache same (expiration or valid). clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:47
L7	34731	("709").CLAS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/07 13:42
L8	59	16 and 17	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:43
L9	8	18 and content adj server	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:46
L14	1567	(cache same (expiration or valid\$4 or delet\$3 or remov\$3)). clm.	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:49

L15	5126	(709/203).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/07 13:49
L16	378	(709/216).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/07 13:49
L17	3058	(709/217).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/03/07 13:49
L18	56	114 and 115	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:50
L19	15	114 and 116	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:49
L20	30	114 and 117	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:49
L21	88	118 or 119 or 120	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:51
L22	33	121 and @ad<"19991227"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:51
L23	34	cache same (remov\$3 or delet\$3) same (source or orgin or host or ((remote or content) adj server)) near5 (\$2available or offline or \$4responsive or respond\$3)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 13:58

L28	1	cache same request adj4 time\$2out and (l15 or l16 or l17) and @ad<"19991227"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:18
L29	1	cache same unable adj (retrieve or access) same (remov\$4 or delet\$4) and @ad<"19991227"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:21
L30	15	cache same (content or page) near6 (\$2retriev\$5 or \$2access\$5 or (longer adj3 exist\$4)) same (remov\$4 or delet\$4) and (l15 or l16 or l17) and @ad<"19991227"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:25
L31	7733	l15 or l16 or l17	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:36
L32	3206	l31 and @ad<"19991227"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:36
L33	11	cache and (remov\$4 or delet\$3) same (unaccessible or exist\$6 or access\$3 or retriev\$4) same error near3 (message or display\$3) and l32	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:37
L34	6	cache same (expir\$3 or expiration or invalid) same (remov\$4 or delet\$3) same (time\$lout or exist\$3 or accessible) and l32	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/03/07 14:39